



# Heterocyclic Sulfonyl Fluorides for Pd-Catalyzed C-C Coupling Reactions

## Introduction


Hetaryl bromides and iodides bearing  $\text{SO}_2\text{F}$  group are versatile substrates for metal catalyzed crosscoupling reactions. Due to the high energy of the S-F bond, sulfonyl fluorides are stable toward hydrolysis, metal catalysis, or reductive reaction conditions. On the other hand, they undergo selective nucleophilic substitution at the sulfur(VI) electrophilic center under controllable reaction conditions.<sup>1-5</sup> Herein we have designed and synthesized a library of bifunctional building blocks for drug design.



## Design



## We offer



## References

1. A. Y. Cherepakha et al. *Eur. J. Org. Chem.* **2018**, 47, 6682.
2. Y. L. Hsu et al. *Tetrahedron* **2016**, 72, 58.
3. S. A. Zherish et al. *Chem. Eur. J.* **2018**, 24, 8343.
4. P. K. Chinthakindi et al. *Eur. J. Org. Chem.* **2018**, 3648.
5. P. K. Chinthakindi et al. *J. Org. Chem.* **2016**, 81, 2618.



Search & Buy on-line at [EnamineStore.com](http://EnamineStore.com)  
Look for more at [Chem-Space.com](http://Chem-Space.com)

[BB@enamine.net](mailto:BB@enamine.net), [www.enamine.net](http://www.enamine.net)